BSC

Scientific Analysis
Administrative Change Notice

QA: QA

Complete only applicable items.

1. Document Number:	ANL-NBS-HS-000005	2. Revision:	03	3. ACN:	02
4. Title:	In Situ Field Testing of Processes				
5. No. of Pages Attached:	2				

6. Approvals:			
Preparer:	Sounia Kassabian Darnell Print Name and Sign	Sounia K. Darnell	5-3-06 Date
Checker:	Hui-Hai Liu Print name and sign		5/4/06 Date
QER:	Jerry Heaney Print name and sign	Jerry Heaney	5/4/06 Date
Responsible Manager:	Ming Zhu Print name and sign		5/4/06 Date

7. Affected Pages	8. Description of Change:
6-350	Editorial Change Table 6-42 "Tritium Activities Found in Samples from Locations in the ESF and ECRB", page 6-350, 2nd column entitled "Interval (ft)", 4th row for "ESF-NR-MOISTSTDY#10", change: 4.6 – 6.5 To 4.0-6.5 This change was identified in Impact Review Action Notice (IRAN) 5535-A
6-352	Editorial Change Table 6-42 "Tritium Activities Found in Samples from Locations in the ESF and ECRB", page 6-352, 2nd column entitled "Interval (ft)", 17th row for "ECRB-SYS-CS1750[C]" , change: 5.5 – 5.9 To 3.3 – 5.9 This change was identified in Impact Review Action Notice (IRAN) 5527-A

Table 6-42. Tritium Activities Found in Samples from Locations in the ESF and ECRB (Continued)

Borehole Name [a]	Interval (ft)	Tritium (TU)	Tritium Error (TU)
ESF-AL#2-HPF#1	83.6 - 83.8	32.9	4.3
ESF-LPCA-MOISTSTDY#02	6.4 - 7.0	<0.1	0.2
ESF-NR-MOISTSTDY#03	4.4 - 5.0	0.2	0.4
ESF-NR-MOISTSTDY#10	4.0 - 6.5	0.2	0.2
ESF-DHW-ClV#01 [b]	10.9 - 13.2	1.0	0.4
ESF-DHW-ClV#02 [b]	6.5 - 8.2	0.5	0.7
ESF-DHW-ClV#03 [b]	12.0 - 13.3	1.6	0.4
ESF-DHW-ClV#04 [b]	12.3 - 13.7	0.9	0.3
ESF-DHW-ClV#05 [b]	26.7 - 28.7	0.7	0.3
ESF-DHW-ClV#06 [b]	12.2 - 13.9	0.5	0.3
ESF-DHW-ClV#07 [b]	9.6 - 11.0	1.6	0.4
ESF-DHW-ClV#08 [b]	11.7 - 13.1	0.2	0.5
ESF-DHW-ClV#09 [b]	11.5 - 12.5	0.6	0.6
ESF-DHW-ClV#10 [b]	11.2 - 12.4	0.9	0.2
ESF-SD-ClV#01 [b]	11.5 - 12.6	0.5	0.4
ESF-SD-ClV#02 [b]	8.0 - 9.9	0.1	0.3
ESF-SD-ClV#03 [b]	10.7 - 11.4	0.6	0.3
ESF-SD-ClV#04 [b]	11.8 - 13.4	0.3	0.4
ESF-SD-ClV#05 [b]	7.9 - 9.7	0.7	0.2
ESF-SD-ClV#06 [b]	9.3 - 10.5	1.1	0.5
ESF-SD-ClV#07 [b]	8.1 - 9.7	0.3	0.4
ESF-SD-ClV#08 [b]	7.9 - 9.9	0.6	0.3
ESF-SD-ClV#09 [b]	10.1 - 11.5	0.2	0.3
ESF-SD-ClV#10 [b]	11.8 - 13.0	0.4	0.3
ESF-SD-ClV#11 [b]	11.0 - 12.5	0.2	0.3
ESF-SD-ClV#12 [b]	11.8 - 13.4	0.2	0.3
ESF-SD-ClV#13 [b]	30.5 - 32.3	0.6	0.4
ESF-SD-ClV#14 [b]	11.6 - 13.4	<0.1	0.2
ESF-SD-ClV#15 [b]	12.0 - 13.5	0.6	0.5
ESF-SD-ClV#16 [b]	12.0 - 13.2	0.2	0.3
ESF-SD-ClV#17 [b]	10.5 - 12.0	1.0	0.3
ESF-SD-ClV#17 [b]	12.0 - 13.2	0.7	0.4
ESF-SD-ClV#18 [b]	10.9 - 11.8	1.4	0.8
ESF-SD-ClV#18 [b]	12.3 - 13.5	2.6	0.5
ESF-SD-ClV#19 [b]	11.7 - 13.1	0.6	0.4
ESF-SD-ClV#20 [b]	10.5 - 13.0	<0.1	0.2
ESF-SD-ClV#21 [b]	9.8 - 11.1	0.4	0.3
ESF-SD-ClV#22 [b]	10.4 - 11.2	0.2	0.3
ESF-SD-ClV#23 [b]	12.6 - 13.7	0.2	0.3
ESF-SD-ClV#24 [b]	12.1 - 13.4	0.4	0.3
ESF-SD-ClV#25 [b]	8.7 - 9.9	0.2	0.4
ESF-SD-ClV#26 [b]	12.2 - 13.2	0.1	0.4
ESF-SD-ClV#27 [b]	12.0 - 13.4	0.2	0.2
ESF-SD-ClV#28 [b]	8.0 - 11.3	1.1	0.3
ESF-SD-ClV#29 [b]	10.7 - 12.2	0.3	0.2
ESF-SD-ClV#30 [b]	12.2 - 13.4	0.2	0.3

Table 6-42. Tritium Activities Found in Samples from Locations in the ESF and ECRB (Continued)

Borehole Name [a]	Interval (ft)	Tritium (TU)	Tritium Error (TU)
ESF-SR-MOISTSTDY#38	5.9 - 6.8	1.7	0.3
ESF-SR-MOISTSTDY#40	5.9 - 6.9	0.6	0.2
ECRB-SYS-CS0600 [c]	3.2 - 6.0	0.8	0.3
ECRB-SYS-CS0750 [c]	3.6 - 6.2	6.2	0.5
ECRB-SYS-CS0800 [c]	2.9 - 5.8	1.7	0.3
ECRB-SYS-CS0900 [c]	3.5 - 6.4	6.5	0.6
ECRB-SYS-CS0950 [c]	2.8 - 5.6	6.1	0.4
ECRB-SYS-CS1000 [c]	17.4 - 18.2	0.5	0.3
ECRB-SYS-CS1200 [c]	2.9 - 6.9	0.4	0.2
ECRB-SYS-CS1300 [c]	3.0 - 5.5	0.7	0.7
ECRB-SYS-CS1350 [c]	3.6 - 6.4	3.8	0.5
ECRB-SYS-CS1450 [c]	4.0 - 6.5	0.3	0.5
ECRB-SYS-CS1500 [c]	4.3 - 7.1	10.3	0.9
ECRB-SYS-CS1500 [c]	9.5 - 12.1	1.5	0.4
ECRB-SYS-CS1500 [c]	14.4 - 17.4	2.5	0.4
ECRB-SYS-CS1600 [c]	3.4 - 4.3	1.7	0.9
ECRB-SYS-CS1750 [c]	3.3 - 5.9	0.6	0.4
ECRB-SYS-CS1800 [c]	3.6 - 6.1	0.1	0.8
ECRB-SYS-CS1950 [c]	4.0 - 6.5	3.6	0.5
ECRB-SYS-CS2000 [c]	11.0 - 11.9	0.1	0.5
ECRB-SYS-CS2150 [c]	3.4 - 4.1	<0.1	0.9
ECRB-SYS-CS2150 [c]	5.5 - 6.7	9.8	0.5
ECRB-SYS-CS2250 [c]	2.9 - 3.9	0.8	0.4
ECRB-SYS-CS2500 [c]	16.7 - 19.8	0.6	0.3

Source: DTNs: GS990183122410.001 [DIRS 146125]; GS020408312272.002 [DIRS 162342]; GS021208312272.005 [DIRS 162934]; GS030208312272.001 [DIRS 162935].

[a] Borehole location designations are as follows: ESF-AL#2 (Bow Ridge fault), EDF-LPCA-MOISTSTDY (Alcove 4), ESF-NR-MOISTSTDY (ESF north ramp), ESF-DHW-CIV (Drill Hole Wash fault), ESF-SD-CIV (Sundance fault), ESF/NAD/GTB#1A (Alcove 6 access drift), ESF-AL6 (Alcove 6), ESF/SAD/GTB#1 (Alcove 7 access drift), ESF-SR-MOISTSTDY (ESF south ramp), and ECRB-SYS (ECRB systematic testing).

[b] Validation Study (VS) boreholes.

[c] The last four digits of the borehole name correspond to the ECRB station number, which indicates distance from the ESF main drift (e.g., Borehole ECRB-SYS-CS0600 is located at ECRB station 06+00, which is 600 m from the ESF main drift).

6.14.2.3 Reconstruction of the Paragenetic Sequence and Thermal History of Fracture-Hosted Secondary Mineral Deposits

Detailed mapping of the secondary mineral deposits has shown that in high-angle fracture settings, the deposits generally are restricted to the fracture footwalls; in cavity settings, deposits are restricted to the cavity floors. The mineral coatings typically are:

1. Heterogeneously distributed, and found on less than 10 percent of open fractures and cavities,

2. Discontinuous and patchy within fractures,